











Short description of the product

The Akyga AK-QIR-01B type B adapter allows charging via induction devices which are not equipped with QI module. The adapter is compatible with all inductive chargers.

The product is adapted to supply devices with 5V/0.7A.

The product is compatible with the applicable national and European requirements.

What is in the box?

- Adapter AK-QIR-01B
- Short user manual

Symbols explanation:



There is a particular danger connected with service.



There is a risk of losing health or life (e.g. by electic shock).



Important tips and information.



The CE standard description on the product is the manufacturer's declaration that the marked product meets the requirements of the directive so-called The "New Approach" of the European Union (EU). For security and certification (CE) reasons, the device can not be rebuild or change in any way. In the reason of using the power supply for other purposes than those described, the product may be demaged. The incorrect use may also cause hazard such as short-circuits. burns, electric shocks, etc. Read the users manual carefully and keep it for later use. The product could be share to third partie only with the user manual included.



Product accordance with the EU directive 2002/96/EC. The symbol of the crossed out basket placed on the product means that the marked product can not be disposed of with other household waste. After use, the product must be return to collection point for used electical and electronic equipment or to the seller. Appropriate segregation of rubbish for subsequent processing, recovery or descrution contributes to avoiding negative effects on the environment and health, and also allows the recovery of raw materials from which the product is made.



The device is intended only for domestic use, indoors.

Safety Precautions



WARNING! Product heats up during operation. To reduce the risk of burns or overheating the adapter, do not place it in restricted ventilation area. Also, do not allow the working adapter to touch soft surface such as pillows, blankets or clothing. The power supply meets the limits on the surface temperatures available to the user, as defined in the International Standard for Safety of Information Technology Equipment (IEC 60950).



An electrostatic discharge occurs when two object touch each other, for example, an electric charge that occurs when user touch metal door handle after walking on a carpet. Discharging electrostatic charges from fingers or other electrostatic conductors can damage electronic components. To avoid damaging the smartphone, abstain from touching electrical outlets, wires and electonic circuits. The user's contact with electronic components should be kept to a minimum.



The manufacturer of the product is not responsible for damage or insults caused in effect of disobey the safety instructions and informations contained in these user manual.




- Keep the product and the packaging out of range of children and animals. The package includes a foil that child could choke while playing.
- It is forbidden to apply the mechanical load to the product strong shocks, impacts, dropping or crushing may cause its damage.
- The product operation in adverse conditions is not allowed. Adverse conditions are primarily: exposure to direct sunlight, high or very low ambient temperatures, strong vibrations, high humidity, surrounds of gases, dusts or flammable and aggressive liquids.
- If the product has been damaged, does not work properly or has been stored for a long period of time in bad or unfavorable conditions, safe operation of the device is not possible. It is essential to stop using the product and to protect it against re-use for security purposes.
- Short-circuiting the current connection is prohibited.
- Take into account the user's manuals for other devices conected to the adapter.
- It's forbidden to modify the adapter. The adapter may be damaged, causing threats to life, health and property, in the case of modyfications.
- It's forbidden to charge the smartphone whose battery compartment is damaged.
- Connection of the adapter to smartphone is done by attaching the adapter's plug to the corresponding phone's socket.
- It's forbidden to insert the adapter's plug into socket when the type is not corresponding, because it can cause damage of smartphone's charging socket.
- Adapter is designed for smartphones with micro USB socket placed in the middle of the bottom side.
- In order to disconnecting adapter from device, please pry the plug in the phone's socket and do not pull on other part of the adapter.
- Avoid bending the coil, it can damage the adapter.
- In case of any doubts regarding operation, safety or connection of the product, please contact the manufacturer or a qualified specialist for this purpose.
- All maintenance, adjustment and repair work on the product may only be carried out by a qualified person in a specialist facility.

adapter QI

Type clasification

- •Type A narrower side of USB port is directed up towards the screen.
- •Type B wider side of USB port is directed down towards the back cover.



Adapter assembly

- 1. Make sure that the adapter has plug in corresponding type with your device. The socket must be compatible with adapter's plug, so that after installing adapter in the device you can put it on the back of the device.
- 2. Place the adapter's plug in device's socket.
- 3. Gently tilt the adapter so that it is on the back of the device.
- 4. Make sure that adapter fits in back cover. If not, you can place adapter in device case.

Removing the most common problems

| | Problem | Cause | Solution |
|--|---|--|--|
| | A device connected via adapter qi does not charging | No mains voltage | Check the correct connection of the adpater to the mains socket Check the mains fuses |
| | | Bad phone position | Place the phone directly on the charging surface Place the phone with the back side in the center of the charging surface Do not charge your phone close to intense magnetic field sources |
| | Slow charging process | There is a suspicion of a product defect | Stop using and contact with seller |
| | | Bad adapter position | Place the adapter directly on the charging surface Do not charge your phone close to intense magnetic field sources |
| | | Too long distance between the chager and the phone | Take off the case Place the phone with the back side in the center of the charging surface |

Do not place any objects

back side of the phone

between the charginng surface and the phone while charging Clean the charging surface and

Cleaning the charger



Disconect the adapter from the device before cleaning.



- Use soft and antistatic cloth for cleaning the adapter.
- · Do not use abrasive or chemical cleaners.

Technical specfication

-

Product code:

Output voltage and amperage:

Maximum power:

Product size:

Temperature:

Power supply connector:

Compilance with standards:

EAN code:

AK-QIR-01B 5V/1A 5 W 105x45x1mm 5-50°C Micro USB CE, FCC 5901720132772

adapter QI